
Cleveland							
2005	2006	2007	2008	2009	2015		
Currently smoke	Currently smoke cigarettes						
30.8%	31.5%	33.7%	28.7%	31.3%	35.2%		
[27.3 - 34.3]	[28.2 - 34.8]	[30.3 – 37.0]	[25.4 - 32.1]	[27.7 - 35.0]	[32.4 – 37.9]		
Currently smoke cigars							
6.0%	9.5%	6.4%	4.5%	6.0%	3.7%		
[3.9 - 8.1]	[7.1 - 11.9]	[4.5 - 8.4]	[2.7 - 6.2]	[3.8 - 8.3]	[2.5 - 4.8]		
Currently smoke little cigars							
6.8%	6.8%	8.6%	4.9%	8.9%	6.5%		
[4.5 – 9.0]	[4.5 – 9.0]	[6.1 - 11.0]	[2.6 - 7.1]	[6.1 - 11.7]	[4.9 - 8.1]		




Note: The above table summarizes tobacco use among 8,480 Cleveland adults 18 and over who completed the Cleveland BRFSS in 2005-2015. A more detailed description of the methodology is available at our website at http://www.prchn.org/BRFSSMethodology.aspx.

Cleveland						
2005	2006	2007	2008	2009	2015	
Considering stopping smoking within next 6 months						
73.2%	67.5%	69.4%	69.2%	65.8%	68.2%	
[67.2 - 79.1]	[61.3 - 73.7]	[63.7 - 75.2]	[62.5 - 75.8]	[58.4 - 73.1]	[63.3 - 73.1]	
Planning to stop smoking within next 30 days						
61.3%	53.6%	50.5%	54.3%	57.0%	52.7%	
[52.6 - 69.9]	[45.0 - 62.1]	[42.1 - 58.8]	[44.8 - 63.8]	[48.0 - 65.9]	[46.4 - 59.1]	




Note: The above table summarizes tobacco use among 8,480 Cleveland adults 18 and over who completed the Cleveland BRFSS in 2005-2015. A more detailed description of the methodology is available at our website at http://www.prchn.org/BRFSSMethodology.aspx.

Cleveland						
2005 2006 2007 2008 2009 2015						
Current smokers who called the Ohio Quit Line past 12 months						
	-	11.9% [8.2 - 15.5]	6.8% [4.0 - 9.6]	6.0% [3.1 - 8.9]	3.1% [2.1 - 4.2]	




Note: The above table summarizes tobacco use among 5,840 Cleveland adults 18 and over who completed the Cleveland BRFSS in 2007-2015. A more detailed description of the methodology is available at our website at http://www.prchn.org/BRFSSMethodology.aspx.

Cleveland						
2005	2006	2007	2008	2009	2015	
Have been in the car with someone smoking in the past 7 days						
		36.7% [33.2 - 40.2]	36.5% [32.9 - 40.1]	38.0% [34.1 - 42.0]	32.4% [29.7 - 35.2]	



Note: The above table summarizes tobacco use among 5,840 Cleveland adults 18 and over who completed the Cleveland BRFSS in 2007-2015. A more detailed description of the methodology is available at our website at http://www.prchn.org/BRFSSMethodology.aspx.

Cleveland						
2005	2006	2007	2008	2009	2015	
More than 1 day of someone smoking inside your home past 7 days						
		36.7% [33.2 - 40.2]	35.6% [32.0 - 39.2]	35.5% [31.7 - 39.3]	34.4% [31.6 - 37.1]	



Note: The above table summarizes tobacco use among 5,840 Cleveland adults 18 and over who completed the Cleveland BRFSS in 2007-2015. A more detailed description of the methodology is available at our website at http://www.prchn.org/BRFSSMethodology.aspx.

This publication report is a product of a Health Promotion and Disease Prevention Research Center supported by Cooperative Agreement Number 1U48DP005030 from the Centers for Disease Control and Prevention. The findings and conclusions in this report are those of the author(s) and do not necessarily represent the official position of the Centers for Disease Control and Prevention.

2015 BRFSS: Tobacco Use, 2005-2015







