



CLEVELAND BRFSS QUALITY OF LIFE TREND DATA TABLE, 2005 - 2015

Cleveland					
2005	2006	2007	2008	2009	2015
<i>Self-rated health as fair or poor</i>					
25.1% [22.0 - 28.2]	21.5% [19.0 - 24.1]	22.8% [19.9 - 25.6]	25.1% [22.2 - 28.1]	26.1% [22.7 - 29.5]	28.8% [26.2 - 31.3]




Cleveland					
2005	2006	2007	2008	2009	2015
<i>At least 1 day of poor physical health</i>					
38.7% [35.1 - 42.3]	35.7% [32.5 - 39.0]	38.8% [35.3 - 42.3]	36.0% [32.5 - 39.4]	45.8% [41.9 - 49.6]	42.7% [39.9 - 45.5]




Note: The above table summarizes quality of life prevalence among 8,480 Cleveland adults 18 and over who completed the Cleveland BRFSS in 2005-2015. A more detailed description of the methodology is available at our website at <http://www.prchn.org/BRFSSMethodology.aspx>.

CLEVELAND BRFSS QUALITY OF LIFE TREND DATA TABLE, 2005 - 2015

Cleveland					
2005	2006	2007	2008	2009	2015
<i>More than 1 week of poor physical health</i>					
17.5%	15.1%	16.3%	17.8%	24.2%	18.6%
[14.9 - 20.2]	[12.8 - 17.3]	[13.9 - 18.8]	[15.2 - 20.5]	[20.9 - 27.6]	16.5 - 20.8]




Cleveland					
2005	2006	2007	2008	2009	2015
<i>At least 1 day of poor mental health</i>					
35.9%	36.3%	38.6%	41.9%	45.4%	47.2%
[32.4 - 39.5]	[32.9 - 39.6]	[35.1 - 42.2]	[38.2 - 45.6]	[41.5 - 49.3]	[44.4 - 50.1]




Note: The above table summarizes quality of life prevalence among 8,480 Cleveland adults 18 and over who completed the Cleveland BRFSS in 2005-2015. A more detailed description of the methodology is available at our website at <http://www.prchn.org/BRFSSMethodology.aspx>.

CLEVELAND BRFSS QUALITY OF LIFE TREND DATA TABLE, 2005 - 2015

Cleveland					
2005	2006	2007	2008	2009	2015
<i>More than 1 week of poor mental health</i>					
15.9% [13.3 - 18.4]	15.7% [13.2 - 18.3]	18.0% [15.3 - 20.8]	18.7% [15.9 - 21.6]	22.7% [19.6 - 25.9]	25.2% [22.6 - 27.8]




Cleveland					
2005	2006	2007	2008	2009	2015
<i>At least 1 day activities limited due to poor physical or mental health</i>					
25.1% [21.9 - 28.4]	22.1% [19.3 - 24.8]	24.1% [21.1 - 27.2]	24.9% [21.7 - 28.1]	27.4% [24.0 - 30.9]	29.4% [26.8 - 32.0]



Note: The above table summarizes quality of life prevalence among 8,480 Cleveland adults 18 and over who completed the Cleveland BRFSS in 2005-2015. A more detailed description of the methodology is available at our website at <http://www.prchn.org/BRFSSMethodology.aspx>.

CLEVELAND BRFSS QUALITY OF LIFE TREND DATA TABLE, 2005 - 2015

Cleveland					
2005	2006	2007	2008	2009	2015
<i>More than 1 week activities limited due to poor physical or mental health</i>					
12.7%	11.6%	10.9%	13.0%	15.5%	16.5%
[10.3 - 15.1]	[9.5 - 13.6]	[8.8 - 12.9]	[10.7 - 15.3]	[12.7 - 18.3]	[14.3 - 18.6]



Note: The above table summarizes quality of life prevalence among 8,480 Cleveland adults 18 and over who completed the Cleveland BRFSS in 2005-2015. A more detailed description of the methodology is available at our website at <http://www.prchn.org/BRFSSMethodology.aspx>.

This publication report is a product of a Health Promotion and Disease Prevention Research Center supported by Cooperative Agreement Number 1U48DP005030 from the Centers for Disease Control and Prevention. The findings and conclusions in this report are those of the author(s) and do not necessarily represent the official position of the Centers for Disease Control and Prevention.

