



Prevention Research Center for Healthy Neighborhoods
at Case Western Reserve University

2012 Cuyahoga County Youth Risk Behavior Survey: Trend Data

Introduction

The Prevention Research Center for Healthy Neighborhoods (PRCHN) at Case Western Reserve University has administered the Youth Risk Behavior Survey (YRBS) in school districts throughout Cuyahoga County since 2000. The YRBS is a cross-sectional tool developed by the Centers for Disease Control and Prevention (CDC) to track adolescent risk behavior over time. In spring of 2012, the PRCHN conducted the YRBS among 7th and 8th grade students in Cuyahoga County middle schools. A more detailed description of the methodology is available at our website, <http://prchn.org/yrbs.apxs>.

Cuyahoga County Trend Data

This brief report presents the prevalence of health risk behaviors among Cuyahoga County middle school students in 2008, 2010, and 2012. In this brief report, we present:

- [Alcohol Use](#)
- [Behaviors that Contribute to Unintentional Injuries](#)
- [Depression and Suicide](#)
- [Illegal and Prescription Drug Use](#)
- [Nutrition](#)
- [Obesity and Weight Control](#)
- [Physical Activity](#)
- [Positive Youth Development](#)
- [Preventive Health Care](#)
- [Reproductive Health](#)
- [Tobacco Use](#)
- [Violence](#)

The prevalence for each year is given (when available), with 95% confidence intervals below.

Alcohol Use

Cuyahoga County, 2008	Cuyahoga County, 2010	Cuyahoga County, 2012
Lifetime alcohol use (Had at least one drink of alcohol on at least 1 day during their life.)		
38.3% (36.8-39.8)	33.3% (31.4-35.1)	27.7% (26.6-28.8)
Drank alcohol before age 11 years (Other than a few sips.)		
14.3% (12.7-16.0)	10.5% (9.5-11.5)	8.4% (7.8-9.0)
Current alcohol use (Had at least one drink of alcohol on at least 1 day during the 30 days before the survey.)		
14.4% (13.4-15.4)	12.3% (11.2-13.3)	9.5% (8.8-10.1)
Students believe it is very wrong for someone their age to drink alcohol regularly		
53.4% (50.9-55.8)	53.4% (50.9-55.8)	53.4% (50.9-55.8)
Students perceive that their parents believe it is very wrong for them to drink alcohol regularly		
80.6% (79.0-82.7)	81.4% (80.1-82.6)	83.1% (82.2-84.0)
Students perceive great risk of harm from drinking alcohol (Physically or in other ways, if drink one or two alcoholic beverages nearly every day.)		
N/A	46.4% (44.8-48.0)	50.1% (48.8-51.3)

Behaviors that Contribute to Unintentional Injuries

Cuyahoga County, 2008	Cuyahoga County, 2010	Cuyahoga County, 2012
Rarely or never wore a seatbelt (When riding in a car driven by someone else.)		
12.7% (11.8-13.6)	12.3% (11.3-13.3)	10.3% (9.5-11.0)
Rarely or never wore a bicycle helmet (Among students who had ridden a bicycle during the 12 months before the survey.)		
81.4% (80.0-82.7)	82.8% (81.5-84.2)	78.0% (76.9-79.1)

Depression and Suicide

Cuyahoga County, 2008	Cuyahoga County, 2010	Cuyahoga County, 2012
Purposely hurt self without wanting to die (Such as cutting or burning self; during 12 months before survey.)		
N/A	13.8% (12.8-14.8)	14.4% (13.6-15.2)
Felt sad or hopeless (Almost every day for two weeks or more in a row, during the 12 months before the survey.)		
N/A	21.1% (19.8-22.3)	20.1% (19.2-21.1)
Seriously considered attempting suicide (During the 12 months before the survey.)		
15.0% (13.9-16.0)	13.3% (12.3-14.3)	13.5% (12.8-14.3)
Attempted suicide (One or more times during the 12 months before the survey.)		
8.6% (7.9-9.4)	9.8% (9.0-10.7)	8.7% (8.0-9.3)

Illegal and Prescription Drug Use

Cuyahoga County, 2008	Cuyahoga County, 2010	Cuyahoga County, 2012
Lifetime marijuana use (Used marijuana one or more times during their life.)		
9.9% (9.0-10.8)	12.7% (11.4-14.0)	10.9% (10.1-11.7)
Tried marijuana before age 11 years		
2.4% (1.7-3.1)	2.3% (1.8-2.9)	2.0% (1.7-2.3)
Current marijuana use (Used marijuana one or more times during the 30 days before the survey.)		
6.2% (5.5-6.9)	7.0% (6.0-7.9)	6.5% (5.9-7.1)
Current unauthorized prescription drug use (Used prescription drugs without a doctor's prescription one or more times during the 30 days before the survey.)		
N/A	N/A	9.6% (9.0-10.3)
Offered, sold, or given drugs on school property (One or more times during the 12 months before the survey.)		
6.3% (5.6-6.9)	9.0% (8.1-9.8)	9.3% (8.6-10.0)
Students believe it is very wrong for someone their age to smoke marijuana		
75.3% (73.3-77.4)	72.8% (71.3-74.3)	72.5% (71.3-73.6)
Students perceive that their parents believe it is very wrong for them to smoke marijuana		
91.5% (89.9-93.0)	89.2% (88.2-90.1)	88.7% (88.0-89.5)
Students perceive great risk of harm from trying marijuana once or twice (Physically or in other ways.)		
N/A	42.5% (40.8-44.2)	45.3% (44.1-46.5)
Students perceive great risk of harm from smoking marijuana regularly (Physically or in other ways.)		
N/A	69.5% (67.8-71.2)	68.1% (67.0-69.3)

Nutrition

Cuyahoga County, 2008	Cuyahoga County, 2010	Cuyahoga County, 2012
Ate fruits and vegetables five or more times per day (During the day before the survey.)		
24.2% (23.0-25.3)	26.9% (25.6-28.3)	28.1% (27.0-29.1)
Ate fast food one or more times (During the 7 days before the survey.)		
70.9% (69.6-72.1)	68.9% (67.8-70.0)	70.6% (69.6-71.7)
Did not eat breakfast every day (During the 7 days before the survey.)		
62.2% (61.1-63.4)	59.8% (58.0-61.5)	58.7% (57.6-59.9)
Drank 3 or more glasses of milk per day (During the day before the survey.)		
24.4% (23.2-25.6)	28.0% (26.6-29.4)	24.3% (23.4-25.3)

Obesity and Weight Control

Cuyahoga County, 2008	Cuyahoga County, 2010	Cuyahoga County, 2012
Obese (Having a BMI of >95 th percentile for age and sex. Calculated from self-reported height and weight, adjusted for sex and age.)		
13.7% (12.7-14.6)	12.0% (11.0-13.1)	12.6% (11.4-13.7)
Overweight (Having a BMI >85 th percentile and <95 th percentile for age and sex. Calculated from self-reported height and weight, adjusted for sex and age.)		
19.9% (18.8-20.9)	17.9% (16.6-19.1)	16.4% (15.4-17.4)
Describes self as slightly or very overweight		
24.9% (23.6-26.3)	24.6% (23.5-25.7)	23.9% (22.8-25.0)
Trying to lose weight		
39.2% (38.0-40.4)	39.9% (38.6-41.3)	38.6% (37.4-39.9)

Physical Activity

Cuyahoga County, 2008	Cuyahoga County, 2010	Cuyahoga County, 2012
Participated in 60 or more minutes of physical activity on 5 or more days (During the 7 days before the survey.)		
49.6% (48.2-50.9)	54.0% (52.4-55.6)	54.7% (53.4-56.0)
Did not participate in 60 or more minutes of physical activity on any day (During the 7 days before the survey.)		
7.7% (7.0-8.3)	7.5% (6.6-8.3)	7.1% (6.5- 7.8)
Watched television 3 or more hours per day (On an average school day.)		
42.8% (41.4-44.2)	36.8% (34.4-39.1)	34.9% (33.8-35.9)
Used computers 3 or more hours per day (Played video or computer games or used a computer for something that was not school work on an average school day.)		
30.8% (29.2-32.3)	30.0% (28.2-31.7)	32.5% (31.4-33.6)
Played on one or more sports teams (During the past 12 months.)		
70.3% (68.2-72.4)	70.1% (68.4-71.7)	71.9% (70.7-73.0)

Positive Youth Development

Cuyahoga County, 2008	Cuyahoga County, 2010	Cuyahoga County, 2012
Spent at least one day in clubs or organizations outside of school (During the 7 days before the survey.)		
N/A	N/A	60.3% (59.2-61.4)
Spent at least one hour helping other people without getting paid to make one's community a better place for people to live (During the 7 days before the survey.)		
N/A	38.8% (37.1-40.4)	42.5% (41.3-43.7)
Parents talk with student about school almost every day		
N/A	55.7% (54.5-56.9)	57.8% (56.6-59.0)
Students help decide what goes on in school (Agree and strongly agree)		
N/A	43.9% (42.5-45.2)	44.2% (43.0-45.3)
Students feel like they matter to people in their community (Agree and strongly agree)		
N/A	44.7% (43.1-46.2)	48.9% (47.7-50.1)
Described their grades in school as A's and B's (During the 12 months before the survey.)		
N/A	N/A	68.7% (67.4-70.0)
Supportive adult (One or more adults, other than a parent, who they would feel comfortable seeking help from if there was an important issue or question affecting their life.)		
N/A	85.3% (84.4-86.2)	87.3% (86.6-88.0)
Trusted friend (One or more friends who would offer good advice if there was a really important secret or problem affecting their life.)		
N/A	88.6% (87.4-89.7)	89.2% (88.5-89.9)
Ate dinner with family (On one or more days of the 7 days before the survey.)		
N/A	83.0% (81.7-84.2)	87.0% (86.2-87.9)

Preventive Health Care

Cuyahoga County, 2008	Cuyahoga County, 2010	Cuyahoga County, 2012
Described health in general as fair or poor		
8.3% (7.6-9.0)	7.4% (6.6-8.2)	8.1% (7.4-8.8)
Saw a doctor or nurse for check-up (During the 12 months before the survey.)		
66.5% (65.3-67.7)	64.2% (62.8-65.7)	66.9% (65.8-68.0)

Reproductive Health

Cuyahoga County, 2008	Cuyahoga County, 2010	Cuyahoga County, 2012
Lifetime sexual intercourse (Had sexual intercourse one or more times during their life.)		
18.1% (16.9-19.3)	19.2% (17.6-20.8)	15.8% (14.8-16.7)
Used a condom during last sexual intercourse (Among students who had ever had sexual intercourse.)		
76.2% (73.6-78.8)	71.6% (68.3-74.9)	72.8% (70.3-75.3)
Ever taught in school about AIDS or HIV infection		
78.9% (77.4-80.4)	78.1% (76.0-80.2)	76.6% (75.5-77.8)

Tobacco Use

Cuyahoga County, 2008	Cuyahoga County, 2010	Cuyahoga County, 2012
Lifetime cigarette use (Smoked a cigarette, even one or two puffs, on at least 1 day during their life.)		
21.2% (20.0-22.4)	11.9% (10.8-13.0)	8.8% (8.1-9.5)
Smoked a whole cigarette before age 11 years		
4.0% (3.2-4.9)	3.4% (2.8-3.9)	2.5% (2.2-2.9)
Current cigarette use (Smoked a cigarette on at least 1 day during the 30 days before the survey.)		
5.4% (4.8-6.0)	4.2% (3.7-4.7)	3.7% (3.3-4.0)
Cigarette use on school property (Smoked cigarettes on school property at least 1 day during the 30 days before the survey.)		
N/A	N/A	1.9% (1.6, 2.3)
Current cigar use (Smoked a cigar, cigarillo, little cigar, or flavored cigar on at least 1 day during the 30 days before the survey.)		
8.0 % (7.3-8.7)	9.0% (8.2-9.9)	6.7% (6.1-7.3)
Students believe it is very wrong for someone their age to smoke cigarettes		
69.0% (67.3-70.8)	68.9% (67.2-70.6)	72.5% (71.4-73.6)
Students perceive that their parents believe it is very wrong for them to smoke cigarettes		
88.2% (86.5-89.9)	87.9% (86.9-89.0)	89.0% (88.3-89.8)
Students perceive great risk of harm from smoking cigarettes (Physically or in other ways, if smoke one or more packs a day.)		
N/A	63.7% (61.9-65.5)	65.4% (64.2-66.6)

Violence

Cuyahoga County, 2008	Cuyahoga County, 2010	Cuyahoga County, 2012
Carried a weapon on school property (Such as a gun, knife, or club; one or more times during the 30 days before the survey.)		
5.0% (4.5-5.5)	4.8% (4.2-5.4)	3.6% (3.2-4.1)
Did not go to school because of safety concerns (One or more times during the 30 days before the survey.)		
N/A	6.4% (5.8-7.1)	8.1% (7.4-8.7)
In a physical fight (One or more times during the 12 months before the survey.)		
47.8% (46.3-49.3)	40.9% (39.1-42.6)	34.8% (33.5-36.0)
In a physical fight on school property (One or more times during the 12 months before the survey.)		
23.4% (22.4-24.5)	19.2% (17.8-20.6)	16.9% (16.0-17.8)
Bullied on school property (During the 12 months before the survey.)		
34.1% (33.0-35.2)	32.9% (31.2-34.6)	33.8% (32.6-34.9)
Electronically bullied (Such as through e-mail, chat rooms, instant messaging, websites, or text messaging; during the 12 months before the survey.)		
N/A	19.7% (18.6-20.9)	21.7% (20.7-22.7)

Contact Information

Prepared by:
Prevention Research Center for Healthy Neighborhoods
Case Western Reserve University
10900 Euclid Avenue
Cleveland, Ohio 44106-7069
www.prchn.org

For more information please contact:
Erika S. Trapl, PhD
Assistant Professor, Department of Epidemiology and Biostatistics
Associate Director, Prevention Research Center for Healthy Neighborhoods
Case Western Reserve University
Erika.trapl@case.edu
216-368-0098

Jean L. Frank, MPH
Manager of Community Initiatives
Prevention Research Center for Healthy Neighborhoods
Case Western Reserve University
Jean.frank@case.edu
216-368-5913

Partners & Funding

This project was made possible by funding by the Ohio Department of Health/Federal Government, Bureau of Child and Family Health Services, Child and Family Health Services Program through the Cuyahoga County Board of Health's Child and Family Health Service Program, as well as Cooperative Agreement #1-U48-DP-001930 from the Centers for Disease Control and Prevention (CDC). Its contents are solely the responsibility of the PRCHN and do not necessarily represent the official views of the CDC. This work was approved by the Institutional Review Board at Case Western Reserve University, Protocol #2012-274.



CUYAHOGA COUNTY
BOARD OF HEALTH